TEXT SEARCHABLE DOCUMENT - 2009

Data Evaluation Report on the Acute Toxicity of 4775453 (M07; Metabolite of BAS 800 H) to Algae (Pseudokirchneriella subcapitata)

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Data Requirement:

PMRA DATA CODE

9.8.2

EPA DP Barcode

349851 **IIA 8.4**

OECD Data Point EPA MRID

47560301

EPA Guideline

OPPTS 850.5400 (123-2)

Test material:

4775453 (M07; metabolite of BAS 800 H)

Purity: 95.4%

Common name: Saflufenacil metabolite

Chemical name: IUPAC: N-{4-chloro-2-fluoro-5-[({[isopropyl(methyl)amino]sulfonyl}amino)carbonyl]phenyl}-N'-

methylurea

CAS name: Not reported CAS No.: Not reported Synonyms: Not reported

Moncie V Wright

5/08

Den'S Myn

1/08

Aferse

9/09

Primary Reviewer: Moncie Wright

Signature:

Staff Scientist, Cambridge Environmental

Date: 11/25/08

Secondary Reviewer: Teri S. Myers

Signature:

Senior Scientist, Cambridge Environmental

Date: 12/01/08

Primary Reviewer: Anita Pease

Senior Biologist, U.S. EPA

Date: 06/09/09

Secondary Reviewer: Ann Lee

Date: 06/09/09

HC-PMRA-EAD

Date: 06/09/09

Secondary Reviewer: Farzad Jahromi **DEWHA-APVMA**

Company Code

BAZ

Active Code

SFF

Use Site Category: 13 (terrestrial feed crops) and 14 (terrestrial food crops)

EPA PC Code

118203

CITATION: Porch, J.R., Kendall, T.Z., Krueger, H.O., and Holmes, C.M. 2008. BAS 800 H Metabolite M07: A 96hour Toxicity Test with the Freshwater Alga (Pseudokirchneriella subcapitata). Unpublished study performed by Wildlife International, Ltd., Easton, Maryland. Wildlife International Study No.: 147A-242. Study sponsored by BASF Corporation, Research Triangle Park, North Carolina. BASF Study No.: 355548. Study completed August 28, 2008.

DISCLAIMER: This document provides guidance for EPA and PMRA reviewers on how to complete a data evaluation record after reviewing a scientific study concerning the acute toxicity of a pesticide to aquatic nonvascular plants. It is not intended to prescribe conditions to any external party for conducting this study nor to establish



PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

absolute criteria regarding the assessment of whether the study is scientifically sound and whether the study satisfies any applicable data requirements. Reviewers are expected to review and to determine for each study, on a case-by-case basis, whether it is scientifically sound and provides sufficient information to satisfy applicable data requirements. Studies that fail to meet any of the conditions may be accepted, if appropriate; similarly, studies that meet all of the conditions may be rejected, if appropriate. In sum, the reviewer is to take into account the totality of factors related to the test methodology and results in determining the acceptability of the study.

EXECUTIVE SUMMARY:

In a 96-hour acute toxicity study, cultures of the freshwater green algae (*Pseudokirchneriella subcapitata*) were exposed to 4775453 (M07; metabolite of BAS 800 H) at nominal concentrations of 0 (negative control), 3.9, 6.5, 11, 18, and 30 mg a.i./L under static conditions. Mean-measured concentrations were <2.10 (<LOQ, control), 3.8, 6.4, 11, 18, and 29 mg a.i./L.

No endpoint was sensitive to treatment with the Saflufenacil metabolite 4775453, with NOAEC and EC₅₀ values of 29 and >29 mg a.i./L, respectively.

There were no signs of adherence to test chambers or aggregation/flocculation of algae in the controls or treatment groups, and there were no noticeable changes in cell morphology at study termination.

This toxicity study is classified as ACCEPTABLE to the U.S. EPA and as FULLY RELIABLE to PMRA and APVMA as it is scientifically sound and satisfies the guideline requirement for a nonvascular aquatic plant toxicity study with the freshwater green algae, *Pseudokirchneriella subcapitata*.

Results Synopsis

Test Organism: Pseudokirchneriella subcapitata

Test Type (Flow-through, Static, Static Renewal): Static

Cell density

 EC_{05} : >29 mg a.i./L 95% C.I.: N/A EC_{50} : >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

Biomass (Area Under the Growth Curve)

EC₀₅: >29 mg a.i./L 95% C.I.: Not calculable

 EC_{50} : >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

Growth Rate

EC₀₅: >29 mg a.i./L 95% C.I.: N/A EC₅₀: >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L

Page 2 of 30

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711

EPA MRID Number: 47560301

Probit Slope: N/A

Yield

EC₀₅: >29 mg a.i./L

EC₅₀: >29 mg a.i./L

NOAEC: 29 mg a.i./L Probit Slope: N/A

Endpoint(s) Effected: None

95% C.I.: N/A

95% C.I.: N/A

I. MATERIALS AND METHODS

GUIDELINE FOLLOWED:

This study was conducted following OECD Guidelines for the Testing of Chemicals 201: Freshwater Alga and Cyanobacteria, Growth Inhibition Test, Official Journal of the European Communities, No. L383, Method C.3: Algal Inhibition Test, and USEPA Series 850 – Ecological Effects Test Guidelines (draft), OPPTS No. 850.5400, Algal Toxicity, Tiers I and II. No deviations from OPPTS 850.5400 were noted.

COMPLIANCE:

Signed and dated No Data Confidentiality, GLP, Quality Assurance, and Certification statements were provided. This study was conducted in compliance with U.S. EPA FIFRA GLP standards (40 CFR Part 160 and 792; 1989), OECD Principles of GLP (ENV/MC/CHEM (98) 17) and JMAFF (1999), with the following exception: Periodic analyses of well water for potential contaminants were not performed according to GLP standards, but were performed using a certified laboratory and standard U.S. EPA analytical methods.

A. MATERIALS:

1. Test material

4775453 (metabolite of BAS 800 H)

Description:

Solid

Lot No./Batch No.:

L67-196 (Batch No.)

Purity:

95.4%

Stability of compound under test conditions:

The 96-hour measured concentrations yielded recoveries of *ca.* 93 to 97% of nominal test concentrations, indicating that 4775453 was stable under test

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

conditions.

(OECD recommends water solubility, stability in water and light, pKa, Pow, and vapor pressure of test compound)

Storage conditions of

test chemicals:

Stored under ambient conditions.

Physicochemical properties of 4775453.

Parameter	Values	Comments
Water solubility at 20°C	Not reported.	
Vapor pressure	Not reported.	
UV absorption	Not reported.	
pKa	Not reported.	
Kow	Not reported.	

2. Test organism:

Name:

Freshwater green algae, Pseudokirchneriella subcapitata

EPA requires a nonvascular species: For tier I testing, only one species, S. capricornutum, to be tested; for tier II testing, S. costatum, A. flos-aquae, S. capricorntum, and a freshwater diatom is tested.

OECD suggests the following species are considered suitable: S. capricornutum, S. subspicatus, and C. vulgaris. If other species are used, the strain should be reported

Strain:

Not reported

Source:

In-house cultures originally obtained from the University of Toronto Culture

Collection

Age of inoculum:

2 weeks

Method of cultivation:

Grown in freshwater algal medium.

B. STUDY DESIGN:

1. Experimental Conditions

a. Range-finding study A range-finding study was conducted with a negative control, and nominal test concentrations of 0.49, 1.6, 5.4, 18, and 60 mg/L. After 96 hours, cell density in the negative control was 1.93×10^6 cells/mL, yielding inhibitions of 3.1, 3.7, 5.0, -8.1, and 1.1%.

b. Definitive Study

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Parameter	Details	Remarks
,		Criteria
Acclimation period:	Continuous	
Culturing media and conditions: (same as test or not)	Freshwater algal medium Same as test.	 -
		EPA recommends two week acclimation period.
Health: (any mortality observed)	Not reported.	OECD recommends an amount of algae suitable for the inoculation of test
		cultures and incubated under the conditions of the test and used when still exponentially growing, normally after an incubation period of about 3 days. When the algal cultures contain
		deformed or abnormal cells, they must be discarded.
Test system Static/static renewal	Static	
Renewal rate for static renewal	N/A	EPA expects the test concentrations to be renewed every 3 to 4 days (one renewal for the 7 day test, 3-4 renewals for the 14 day test).
Incubation facility	Test vessels were placed on an orbital shaker table in an environmental chamber.	
Duration of the test	96 hours	
		EPA requires: 96-120 hours OECD: 72 hours
Test vessel Material: (glass/stainless steel)	Glass	

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Parameter	Details	Remarks
		Criteria
Size: Fill volume:	250 mL 100 mL	OECD recommends 250 ml conical flasks are suitable when the volume of the test solution is 100 ml or use a culturing apparatus.
Details of growth medium name		
pH at test initiation: pH at test termination: Chelator used: Carbon source: Salinity (for marine algae):	7.0-7.5 8.0-8.1 Yes. NaHCO ₃ . N/A	OECD recommends the medium pH after equilibration with air is ~8 with less than .001 mmol/l of chelator if used. EPA recommends 20X-AAP and chelating agents (e.g. EDTA) in the nutrient medium for optimum cell growth. Lower concentrations of chelating agents (down to one-third of the normal concentration recommended for AAP medium) may be used in the nutrient medium used for test solution preparation if it is suspected that the chelator will interact with the test material. ASTM reference, E1415-91 and D 3978-80 (reapproved 1987).
If non-standard nutrient medium was used, detailed composition provided (Yes/No)	Standard nutrient medium was used.	
		·

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Parameter	Details	Remarks				
		Criteria				
Dilution water source/type: pH: salinity (for marine algae): water pretreatment (if any): Total Organic Carbon: particulate matter: metals: pesticides: chlorine:	Purified well water. Adjusted to 7.5. N/A Filter sterilized. Not reported. Not reported. See Reviewer's Comments. None Detected. Not reported.	EPA pH: Skeletonema costatum= ~8.0 Others = ~7.5 from beginning to end of the test. EPA salinity: 30-35 ppt. EPA is against the use of dechlorinated water. OECD: pH is measured at beginning of the test and at 72 hours, it should not normally deviate by more than one unit during the test.				
Indicate how the test material is added to the medium (added directly or used stock solution)	A stock solution was prepared at the highest test concentration, which was then serially diluted.					
Aeration or agitation	Agitation, 100 rpm					
Initial cells density	1.0 x 10 ⁴ cells/mL					
		EPA requires an initial number of 3,000 - 10,000 cells/mL. For Anabaena flosaquae, cell counts on day 2 are not required.				
		OECD recommends that the initial cell concentration be approximately 10,000 cells/ml for <u>S. capricornutum</u> and <u>S. subspicatus</u> . When other species are used the biomass should be comparable.				

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Parameter	Details	Remarks
		Criteria
Number of replicates		
Control: Solvent control:	3 N/A	
Treatments:	3	EPA requires a negative and/or solvent control with 3 or more replicates per doses. Navicula sp.tests should be conducted with four replicate.
		OECD preferably three replicates at each test concentration and ideally twice that number of controls. When a vehicle is used to solubilize the test substance, additional controls containing the vehicle at the highest concentration used in the test.
Test concentrations Nominal:	0 (negative control), 3.9, 6.5, 11, 18, and 30 mg a.i./L	EPA requires at least 5 test concentrations, with each at least 60%
Mean-Measured:	<2.10 (<loq, 11,="" 18,="" 29="" 3.8,="" 6.4,="" a.i.="" and="" control),="" l<="" mg="" td=""><td>of the next higher one. OECD recommends at least five concentrations arranged in a geometric series, with the lowest concentration tested should have no observed effect on the growth of the algae. The highest concentration tested should inhibit growth by at least 50% relatively to the control and, preferably, stop growth completely.</td></loq,>	of the next higher one. OECD recommends at least five concentrations arranged in a geometric series, with the lowest concentration tested should have no observed effect on the growth of the algae. The highest concentration tested should inhibit growth by at least 50% relatively to the control and, preferably, stop growth completely.
Solvent (type, percentage, if used)	N/A	

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Parameter	Details	Remarks
		Criteria
Method and interval of analytical verification	Test samples collected at 0 and 96 hours, matrix fortification standards, and calibration standards were analyzed using HPLC with UV (220 nm) detection.	
LOQ: LOD:	2.10 mg a.i./L 0.0167 mg a.i./L	
Test conditions Temperature: Photoperiod: Light intensity and quality:	23.9 – 24.6°C Continuous 4120-4710 lux Cool white fluorescent lighting	EPA temperature: Skeletonema: 20EC, Others: 24-25EC; EPA photoperiod: S. costatum 14 hr light/ 10 hr dark, Others: Continuous; EPA light: Anabaena: 2.0 Klux (±15%), Others: 4 - 5 Klux (±15%) OECD recommended the temperature in the range of 21 to25°C maintained at ± 2°C and continuous uniform illumination provided at approximately 8000 Lux measured with a spherical collector.
Reference chemical (if used) name: concentrations:	N/A	
Other parameters, if any	None.	

2. Observations:

Table 2: Observation parameters

Parameters	Details	Remarks		
		Criteria		
Parameters measured including the	-cell density			

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Parameters	Details	Remarks
		Criteria
growth inhibition/other toxicity symptoms	biomass (area under the growth curve)growth rateyield	EPA recommends the growth of the algae expressed as the cell count per mL, biomass per volume, or degree of growth as determined by spectrophotometric means.
Measurement technique for cell density and other end points	Cell counts were conducted daily using an electronic particle counter.	EPA recommends the measurement technique of cell counts or chlorophyll a
	Area under the curve, yield, and growth rate were described as being calculated based on cell density data.	OECD recommends the electronic particle counter, microscope with counting chamber, fluorimeter, spectrophotometer,
	density data.	and colorimeter. (note: in order to provide useful measurements at low cell concentrations when using a spectrophotometer, it may be necessary to
		use cuvettes with a light path of at least 4 cm).
Observation intervals	Every 24 hours.	EPA and OECD: every 24 hours.
Other observations, if any	N/A	
Indicate whether there was an exponential growth in the control	Yes, cell density in the negative control was 200 x 10 ⁴ cells/mL at test termination.	EPA requires control cell count at termination to be 2X initial count or by a factor of at least 16 during the test.
		OECD: cell concentration in control cultures should have increased by a factor of at least 16 within three days.
Were raw data included?	Yes.	

II. RESULTS and DISCUSSION:

A. INHIBITORY EFFECTS:

After 96 hours of exposure, cell density averaged 200×10^4 cells/mL in the negative control, yielding inhibitions of 2, -2, -4, -4, and -1% as compared to the negative control in the mean-measured 3.8, 6.4, 11, 18, and 29 mg a.i./L treatment groups, respectively. The NOAEC and EC₅₀ values based on cell density were 29 and >29 mg a.i./L,

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

respectively.

Biomass (area under the growth curve) averaged 824×10^5 cells/ mL*hour in the negative control, yielding inhibitions of 2, 6, 4, 8, and 4% as compared to the negative control. The NOAEC and EC₅₀ values based on biomass were 29 and >29 mg a.i./L, respectively.

Growth rate averaged 0.055 cells/mL/hour in the negative control, yielding inhibitions of 0, 0, -1, -1, and 0% as compared to the negative control. The NOAEC and EC₅₀ values based on growth rate were 29 and >29 mg a.i./L, respectively.

Yield averaged 199 x 10^4 cells/mL in the negative control, yielding inhibitions of -2, -2, -4, -4, and -1% as compared to the negative control. The NOAEC and EC₅₀ values based on yield were 29 and >29 mg a.i./L, respectively.

The study authors reported that there were no signs of adherence to test chambers or aggregation/flocculation of algae in the controls or treatment groups, and there were no noticeable changes in cell morphology.

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Table 3: Effect of 4775453 on algal growth (Pseudokirchneriella subcapitata)

Mean-Measured and (Nominal) Concentrations (mg a.i./L)	Initial Cell density	Cell density (x 10 ⁴ cells/mL) at				
	$(x 10^4)$	ı ı	72 hours	96 hours		
	cells/mL)				Cell count	% inhibition
Negative control	1.0	7.09	39.23	200.49	200.01	N/A
3.8 (3.9)	1.0	6.78	38.44	193.24	204.15	-2
6.4 (6.5)	1.0	6.87	36.96	178.54	203.59	-2
11 (11)	1.0	6.8	35.72	186.31	208.23	-4
18 (18)	1.0	6.86	34.81	173.58	208.66	-4
29 (30)	1.0	6.92	36.86	187.22	201.03	-1

N/A- Not Applicable

Table 4: Effect of 4775453 on algal growth (Pseudokirchneriella subcapitata)

Mean-Measured and (Nominal) Concentrations	and (Nominal) Density		Mean Growth Rate (cells/mL/hour)		Mean Area Under the Growth Curve (Biomass) (x10 ⁵ cells/mL*hour)	
(mg a.i./L)	cells/mL)	0-96 Hours	Percent Inhibition	0-96 hours	Percent Inhibition	
Negative control	1.0	0.0552	N/A	823.9	N/A	
3.8 (3.9)	1.0	0.0554	0	808.9	2	
6.4 (6.5)	1.0	0.0554	0	769.6	6	
11 (11)	1.0	0.0556	-1	790.7	4	
18 (18)	1.0	0.0556	-1	758.6	8	
29 (30)	1.0	0.0552	0	787.2	4	

N/A- Not Applicable

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Table 5: Statistical endpoint values.

Statistical Endpoint	Cell density	Biomass (Area under the Growth Curve)	Yield	Gro	wth Rate
NOAEC or EC ₀₅ (mg a.i./L)	29	29	29		29
LOAEC	ND	ND	ND		ND
IC ₅₀ or EC ₅₀ (mg a.i./L) (95% C.I.)	>29	>29	>29		>29
Other (EC ₁₀ and EC ₉₀)	ND	ND	ND		ND
Reference chemical, if used IC ₅₀ /EC ₅₀	N/A	N/A	N/A		N/A

ND – not determined

B. REPORTED STATISTICS:

Statistical analysis was performed for the endpoints of cell density, biomass (area under the growth curve), yield, and growth rate. The data was tested for normality and for homogeneity of variance. An ANOVA and Dunnett's test were used to compare the treatment groups to the control. The ECx values and their confidence intervals were determined using nonlinear regression analysis. The NOAEC was determined based on an evaluation of the concentration-response pattern and the results of the statistical analyses. All statistics were conducted using SAS software.

C. VERIFICATION OF STATISTICAL RESULTS:

Statistical Method: Replicate data for all endpoints were tested for normality and homogeneity. If the assumptions of ANOVA were met, the NOAEC value was determined using the parametric Dunnett's and William's Test. If the assumptions were not met, the NOAEC value was determined using the non-parametric Steels or Kruskal-Wallis Test. All NOAEC values were determined using Toxstat Statistical Software. ECx values (with 95% C.I.) and probit slopes were determined using probit analyses via Nuthatch Statistical Software. All toxicity values were determined using the 96-hour mean-measured concentrations. Growth rate values were multiplied by 10,000 before entry into Toxstat.

Cell density

EC₀₅: >29 mg a.i./L 95% C.I.: N/A EC₅₀: >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

Biomass (Area Under the Growth Curve)

EC₀₅: >29 mg a.i./L 95% C.I.: Not calculable

Page 13 of 30

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

EC₅₀: >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

Growth Rate

EC₀₅: >29 mg a.i./L 95% C.I.: N/A EC₅₀: >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

Yield

EC₀₅: >29 mg a.i./L 95% C.I.: N/A EC₅₀: >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

D. STUDY DEFICIENCIES:

There were no study deficiencies.

E. REVIEWER'S COMMENTS:

The reviewer's conclusions agreed with the study author's. There were no apparent effects of treatment on algal growth.

Results from the periodic screening analysis of the dilution water indicated the presence of the following components: calcium (38.7 mg/L), chloride (4.2 mg/L), fluoride (0.55 mg/L), magnesium (14.6 mg/L), potassium (6.97 mg/L), sodium (19.8 mg/L) and sulfate (6.0 mg/L).

All test solutions appeared clear and colorless.

All validity criteria were met. Cell density increased in the negative control by a factor of at least 16X in 72 hours. The coefficient of variation of average specific growth rates during the whole test period (0-96 hour) in replicate controls was 0.37%, which did not exceed 7%. The mean coefficient of variation for section-by-section growth rates over the entire test period (days 0-1, 1-2, 2-3, 3-4) in the controls was 67.6%, which exceeds 35%. However the mean coefficient of variation for section-by-section growth rates over the first 72 hours of the test (days 0-1, 1-2, and 2-3) in the controls was 10.6%. Therefore, the test was considered valid by the study authors.

The in-life portion of the definitive algal toxicity test was conducted between July 24 and 28, 2008.

F. CONCLUSIONS:

This study is scientifically sound and is classified as ACCEPTABLE to the U.S. EPA and as FULLY RELIABLE to PMRA and APVMA. No endpoint was sensitive to treatment with the Saflufenacil metabolite, with NOAEC and EC $_{50}$ values of 29 and >29 mg a.i./L, respectively.

Page 14 of 30

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

Test Organism: Pseudokirchneriella subcapitata

Test Type (Flow-through, Static, Static Renewal): Static

Cell density

 EC_{05} : >29 mg a.i./L 95% C.I.: N/A EC_{50} : >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

Biomass (Area Under the Growth Curve)

EC₀₅: >29 mg a.i./L 95% C.I.: Not calculable

EC₅₀: >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

Growth Rate

EC₀₅: >29 mg a.i./L 95% C.I.: N/A EC₅₀: >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

Yield

EC₀₅: >29 mg a.i./L 95% C.I.: N/A EC₅₀: >29 mg a.i./L 95% C.I.: N/A

NOAEC: 29 mg a.i./L Probit Slope: N/A

Endpoint(s) Effected: None

III. REFERENCES:

- 1. Organization for Economic Cooperation and Development. 2006. OECD Guidelines for the Testing of Chemicals. Guideline 201: Freshwater Alga and Cyanobacteria, Growth Inhibition Test.
- 2. Official Journal of the European Communities. 1992. No. L383. Method C.3: Algal Inhibition Test.
- 3. U.S. Environmental Protection Agency. 1996. Series 850 Ecological Effects Test Guidelines (draft), OPPTS Number 850.5400: *Algal Toxicity, Tiers I and II*.
- 4. ASTM Standard Guide E 1218-97A. 1997. Standard Guide for Conducting Static96-Hour Toxicity Tests with Microalgae. American Society for Testing and Materials. Philadelphia, PA.
- 5. Bruce, Robert D. and Donald J. Versteeg. 1992. A Statistical Procedure for Modeling Continuous Toxicity Data. *Environmental Toxicology and Chemistry*. 11: 1485-1494.
- 6. The SAS System for Windows. 1999. Version 8.2. SAS Institute Inc. Cary, North Carolina.

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711

EPA MRID Number: 47560301

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

APPENDIX I. OUTPUT OF REVIEWER'S STATISTICAL VERIFICATION:

4775453 & P subcapitata 96-hr cell density (mg/L) File: 0301c Transform: NO TRANSFORMATION

Chi-square test for normality: actual and expected frequencies

INTERVAL	<-1.5	-1.5 to <-0.5	-0.5 to 0.5	>0.5 to 1.5	>1.5
EXPECTED	1.206	4.356	6.876	4.356	1.206
OBSERVED	0	6	6	6	0

Calculated Chi-Square goodness of fit test statistic = 3.7645 Table Chi-Square value (alpha = 0.01) = 13.277

Data PASS normality test. Continue analysis.

4775453 & P subcapitata 96-hr cell density (mg/L) Transform: NO TRANSFORMATION

Shapiro Wilks test for normality

D = 67492677097.313

W = . 0.962

Critical W (P = 0.05) (n = 18) = 0.897Critical W (P = 0.01) (n = 18) = 0.858

Data PASS normality test at P=0.01 level. Continue analysis.

4775453 & P subcapitata 96-hr cell density (mg/L) File: 0301c Transform: NO TRANSFORMATION

Hartley test for homogeneity of variance

Calculated H statistic (max Var/min Var) = 84.05 Closest, conservative, Table H statistic = 1362.0 (alpha = 0.01)

Used for Table H ==> R (# groups) = 6,df (# reps-1) = R (# groups) = 6,df (# avg reps-1) = 2.00 Actual values ==>

Data PASS homogeneity test. Continue analysis.

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

NOTE: This test requires equal replicate sizes. If they are unequal but do not differ greatly, the Hartley test may still be used as an approximate test (average df are used).

4775453 & P subcapitata 96-hr cell density (mg/L)

Transform: NO TRANSFORMATION

Bartletts test for homogeneity of variance

Calculated B statistic = 6.75

Table Chi-square value = 15.09 (alpha = 0.01)

Table Chi-square value = 11.07 (alpha = 0.05)

Average df used in calculation ==> df (avg n - 1) = 2.00 Used for Chi-square table value ==> df (#groups-1) = 5

Data PASS homogeneity test at 0.01 level. Continue analysis.

NOTE: If groups have unequal replicate sizes the average replicate size is used to calculate the B statistic (see above).

4775453 & P subcapitata 96-hr cell density (mg/L) File: 0301c Transform: NO TRANSFORMATION

ANOVA TABLE

SOURCE	DF	SS	MS	F
Between	5	19223869117.281	3844773823.457	0.684
Within (Error)	12	67492677120.000	5624389760.000	
Total	17	86716546237.250		

Critical F value = 3.11 (0.05, 5, 12)

Since F < Critical F FAIL TO REJECT Ho: All groups equal

4775453 & P subcapitata 96-hr cell density (mg/L) File: 0301c Transform: NO TRANSFORMATION

Ι	DUNNETTS TEST - 1	TABLE 1 OF 2	Ho: Control <treatment< th=""></treatment<>			
GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT SIG		
1	Neg control	2000102.000	2000102.000			
2	3.8	2041542.333	2041542.333	-0.677		
3	6.4	2035928.333	2035928.333	-0.585		

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

5 18 2086625.333 2086625.333 -1.413	6		29 2010304.333	2010304.333	-0.167
4 11 2082289.333 2082289.333 -1.342	5	•			
	4		11 2082289.333	2082289.333	-1.342

Dunnett table value = 2.50 (1 Tailed Value, P=0.05, df=12,5)

4775453 & P subcapitata 96-hr cell density (mg/L) File: 0301c Transform: NO TRANSFORMATION

	DUNNETTS TEST -	TABLE 2 OF	2 Ho:	Control <ti< th=""><th>reatment</th></ti<>	reatment
GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	% of CONTROL	DIFFERENCE FROM CONTROL
1	Neg control	3			
2	3.8		153084.804	7.7	-41440.333
3	6.4	3 .	153084.804	7.7	-35826.333
4	11	3	153084.804	7.7	-82187.333
5	18	3	153084.804	7.7	-86523.333
6	29	3	153084.804	7.7	-10202.333

4775453 & P subcapitata 96-hr cell density (mg/L) File: 0301c Transform: NO TRANSFORMATION

WILLIAMS	TEST	(Isotonic	regression	model)	TABLE 1	OF 2
•						

GROUP	IDENTIFICATION	N	ORIGINAL MEAN	TRANSFORMED MEAN	ISOTONIZED MEAN
1	Neg control	3	2000102.000	2000102.000	2000102.000
2	3.8	3	2041542.333	2041542.333	2038735.333
3	6.4	3	2035928.333	2035928.333	2038735.333
4	. 11	3	2082289.333	2082289.333	2059739.667
5	18	3	2086625:333	2086625.333	2059739.667
6	29	3	2010304.333	2010304.333	2059739.667

4775453 & P subcapitata 96-hr cell density (mg/L) File: 0301c Transform: NO TRANSFORMATION

WILLIAMS TEST	(Isotonic	regression	model)	TABLE 2 O.	F 2
IDENTIFICATION	ISOTONIZED MEAN	CALC. WILLIAMS	SIG P=.05	TABLE WILLIAMS	DEGREES OF FREEDOM
Neg control20	000102.000				
3.820	38735.333	0.631		1.78	k = 1, v = 12
6.420	38735.333	0.631		1.87	k = 2, v = 12
1120	59739.667	0.974		1.90	k=3, v=12

Page 19 of 30

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

182059739.667	0.974	1.92	k= 4	4,	v=12
292059739.667	0.974	1.93	k= 5	5,	v=12

s = 74995.932

Note: df used for table values are approximate when v > 20.

0301C: 4775453 & P subcapitata 96-hr cell density (mg/L)

Williams Test

WILLIAMS

[One-Sided Test for Decrease, alpha = 0.050000]

Dose	Isotone Means	T-bar	P-value	Significance
0 3.8 6.4 11 18 29	2.05E+06 2.05E+06 2.05E+06 2.05E+06 2.05E+06 2.01E+06	-0.8034 -0.8034 -0.8034 -0.8034 -0.1666	N.S. N.S. N.S. N.S.	

"*"=Significant; "N.S."=Not Significant.

!!!Failure #3: Data not suitable for probit model fit.

Criterion is 3 or more distinct isotone means.

4775453 & P subcapitata 96-hour biomass (mg/L) File: 0301b Transform: NO TRANSFORMATION

Chi-square test for normality: actual and expected frequencies

INTERVAL	<-1.5	-1.5 to <-0.5	-0.5 to 0.5	>0.5 to 1.5	>1.5
EXPECTED OBSERVED	1.206	4.356 6	6.876 5	4.356	1.206

Calculated Chi-Square goodness of fit test statistic = 5.1491 Table Chi-Square value (alpha = 0.01) = 13.277

Data PASS normality test. Continue analysis.

4775453 & P subcapitata 96-hour biomass (mg/L) File: 0301b Transform: NO TRANSFORMATION

Shapiro Wilks test for normality

D = 353679630066176.000

PMRA Submission Number: 2008-0431 PMRA Document ID: 1664711

EPA MRID Number: 47560301

```
W =
      0.964
Critical W (P = 0.05) (n = 18) = 0.897
Critical W (P = 0.01) (n = 18) = 0.858
Data PASS normality test at P=0.01 level. Continue analysis.
4775453 & P subcapitata 96-hour biomass (mg/L)
File: 0301b Transform: NO TRANSFORMATION
Hartley test for homogeneity of variance
_______
Calculated H statistic (max Var/min Var) = 22.27
Closest, conservative, Table H statistic = 1362.0 (alpha = 0.01)
Used for Table H ==>
                     R (\# groups) = 6,
                                          df (# reps-1) =
                     R (\# groups) = 6,
                                          df (\# avg reps-1) = 2.00
Actual values ==>
Data PASS homogeneity test. Continue analysis.
NOTE: This test requires equal replicate sizes. If they are unequal
     but do not differ greatly, the Hartley test may still be used
     as an approximate test (average df are used).
4775453 & P subcapitata 96-hour biomass (mg/L)
File: 0301b Transform: NO TRANSFORMATION
Bartletts test for homogeneity of variance
 Calculated B statistic = 4.99
Table Chi-square value = 15.09 (alpha = 0.01)
Table Chi-square value = 11.07 (alpha = 0.05)
Average df used in calculation ==> df (avg n - 1) = 2.00
Used for Chi-square table value ==> df (#groups-1) = 5
Data PASS homogeneity test at 0.01 level. Continue analysis.
NOTE: If groups have unequal replicate sizes the average replicate size is
     used to calculate the B statistic (see above).
4775453 & P subcapitata 96-hour biomass (mg/L)
                Transform: NO TRANSFORMATION
File: 0301b
```

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

ANOVA TABLE

SOURCE	DF	SS	MS	F
Between	5	87473762539136.000174	94752507824.000	0.594
Within (Error)	12 3	353679629877248.000294	73302489760.000	
Total	17 4	441153392416256.000		

Critical F value = 3.11 (0.05,5,12) Since F < Critical F FAIL TO REJECT Ho:All groups equal

4775453 & P subcapitata 96-hour biomass (mg/L) File: 0301b Transform: NO TRANSFORMATION

	DUNNETTS TEST - TA	ABLE 1 OF 2	Ho:Control <tr< th=""><th>reatment</th><th></th></tr<>	reatment	
GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT	SIG
1	Neg control82	2392536 000	82392536.000		
2	3	886596.000	80886596.000	0.340	
3	6.476	959892.000	76959892.000	1.226	
4	1179	069208.000	79069208.000	0.750	
5	1875	861872.000	75861872.000	1.473	
6	2978	3723244.000	78723244.000	0.828	
Dunne	tt table value = 2.50	(1 Tailed	Value, P=0.05, df=12,	5)	

4775453 & P subcapitata 96-hour biomass (mg/L) File: 0301b Transform: NO TRANSFORMATION

	DUNNETTS TEST -	TABLE 2 OF	2 Ho:	Control <treatment< th=""><th></th></treatment<>	
GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	% of DIFFERENCE CONTROL FROM CONTROL	ı
1	Neg control	. 3			
2	3.8	3	11081761.008	13.4 1505940.000	
3	6.4	3	11081761.008	13.4 5432644.000	
4	11	. 3	11081761.008	13.4 3323328.000	
5	18	- 3	11081761.008	13.4 6530664.000	
6	29	3	11081761.008	13.4 3669292.000	

4775453 & P subcapitata 96-hour biomass (mg/L) File: 0301b Transform: NO TRANSFORMATION

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

WILLIAMS	TEST	(Isotonic	regression	model:) TABLE	1	OF	2
***************************************		(- 50 0 0 11 - 0	TCATCOCTOR	mouci	/ Land	-	0.5	2.4

GROUP	IDENTIFICATION	N	ORIGINAL MEAN	TRANSFORMED MEAN	ISOTONIZED MEAN
1	Neg control	3823	92536.000	82392536.000	82392536.000
2 .	3.8	3808	86596.000	80886596.000	80886596.000
3	6.4	3769	59892.000	76959892.000	78014550.000
4	11	3790	69208.000	79069208.000	78014550.000
5	18	3758	61872.000	75861872.000	77292558.000
6	29	3787	23244.000	78723244.000	77292558.000

4775453 & P subcapitata 96-hour biomass (mg/L) File: 0301b Transform: NO TRANSFORMATION

WITTITAMS	TEST ((Isotonia	regression	model'	TABLE	2	OF	2
11 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	T - T - 1	(+ 0 0 0 0 11 1 0	TOGECOSTOIL	mode in		-	OT.	_

 . 	_ 				
IDENTIFICATION	ISOTONIZED MEAN	CALC. WILLIAMS	SIG P=.05	TABLE WILLIAMS	DEGREES OF FREEDOM
 Nog gentrel	222222				
neg control	82392536.000	1			
3.8	80886596.000	0.340		1.78	k=1, v=12
6.4	78014550.000	0.988		1.87	k = 2, v = 12
11'	78014550.000	0.988		1.90	k = 3, v = 12
18'	77292558.000	1.151		1.92	k = 4, v = 12
29'	77292558.000	1.151		1.93	k = 5, v = 12

s = 5428931.984

Note: df used for table values are approximate when v > 20.

4775453 & P subcapitata 96-hr growth rate (mg/L) File: 0301g Transform: NO TRANSFORMATION

Chi-square test for normality: actual and expected frequencies

INTERVAL	<-1.5	-1.5 to <-0.5	-0.5 to 0.5	>0.5 to 1.5	>1.5
EXPECTED OBSERVED	1.206	4.356	6.876 4	4.356 7	1.206

Calculated Chi-Square goodness of fit test statistic = 6.8246 Table Chi-Square value (alpha = 0.01) = 13.277

Data PASS normality test. Continue analysis.

PMRA Submission Number: 2008-0431 PMRA Document ID: 1664711

EPA MRID Number: 47560301

```
4775453 & P subcapitata 96-hr growth rate (mg/L)
File: 0301g Transform: NO TRANSFORMATION
Shapiro Wilks test for normality
D = 176.667
W = 0.962
Critical W (P = 0.05) (n = 18) = 0.897
Critical W (P = 0.01) (n = 18) = 0.858
Data PASS normality test at P=0.01 level. Continue analysis.
4775453 & P subcapitata 96-hr growth rate (mg/L)
File: 0301g Transform: NO TRANSFORMATION
Hartley test for homogeneity of variance
Calculated H statistic (max Var/min Var) = 124.00
Closest, conservative, Table H statistic = 1362.0 (alpha = 0.01)
                      R (# groups) = 6, df (# reps-1) = 2
R (# groups) = 6, df (# avg reps-1) = 2.00
Used for Table H ==>
Actual values ==>
 ._________
Data PASS homogeneity test. Continue analysis.
NOTE: This test requires equal replicate sizes. If they are unequal
     but do not differ greatly, the Hartley test may still be used
     as an approximate test (average df are used).
4775453 & P subcapitata 96-hr growth rate (mg/L)
File: 0301g Transform: NO TRANSFORMATION
Bartletts test for homogeneity of variance
______
Calculated B statistic = 7.17
Table Chi-square value = 15.09 (alpha = 0.01)
Table Chi-square value = 11.07 (alpha = 0.05)
Average df used in calculation ==> df (avg n - 1) = 2.00
Used for Chi-square table value ==> df (#groups-1) = 5
Data PASS homogeneity test at 0.01 level. Continue analysis.
```

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

NOTE: If groups have unequal replicate sizes the average replicate size is used to calculate the B statistic (see above).

4775453 & P subcapitata 96-hr growth rate (mg/L) File: 0301g Transform: NO TRANSFORMATION

ANOVA TABLE

		•			
SOURCE	DF	SS	MS	F	
Between	5	53.333	10.667	0.725	_
Within (Error)	12	176.667	14.722		
Total	17	230.000	·		-

Critical F value = 3.11 (0.05,5,12)

Since F < Critical F FAIL TO REJECT Ho: All groups equal

4775453 & P subcapitata 96-hr growth rate (mg/L) File: 0301g $\,$ Transform: NO TRANSFORMATION

. 05019 ITAMBIOIM. NO TRANSFORMATION

DUNNETTS TEST - TABLE 1 OF 2 Ho:Control<Treatment

GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT	SIG
1	Neg control	551.667	551.667		
2	3.8	554.000	554.000	-0.745	
3	6.4	553.667	553.667	-0.638	
4	11	556.000	556.000	-1.383	
5	18	556.333	556.333	-1.490	ļ
6	29	552.333	552.333	-0.213	

Dunnett table value = 2.50 (1 Tailed Value, P=0.05, df=12,5)

4775453 & P subcapitata 96-hr growth rate (mg/L) File: 0301g Transform: NO TRANSFORMATION

DUNNETTS	TEST	-	TABLE	2	OF	2		Ho:	ont	ro	1<	Tre	eat	me	nt	

GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	% of CONTROL	DIFFERENCE FROM CONTROL
1	Neg control	3			
2	3.8	3	7.832	1.4	-2.333
3	6.4	3	7.832	1.4	-2.000
4	11	3	7.832	1.4	-4.333
5	18	3	7.832	1.4	-4.667

Page 25 of 30

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

6	29	3	7.832	1.4	-0.667

4775453 & P subcapitata 96-hr growth rate (mg/L) File: 0301g Transform: NO TRANSFORMATION

	IDENTIFICATION	N	MEAN	MEAN	MEAN
GROUP			ORIGINAL	TRANSFORMED	ISOTONIZED
	WILLIAMS TEST (Is	otonic r	regression mode	el) TABLE 1	OF 2

	IDENTIFICATION	N	MEAN	MEAN	MEAN
1	Neg control	3	551.667	551.667	551.667
2	3.8	3	554.000	554.000	553.833
3 .	6.4	3	553.667	553.667	553.833
4	11	- 3	556.000	556.000	554.889
5	_. 18	3	556.333	556.333	554.889
6	29	3	552.333	552.333	554.889

4775453 & P subcapitata 96-hr growth rate (mg/L) File: 0301g Transform: NO TRANSFORMATION

WILLIAMS T	EST	(Isotonic	regression	model)	TABLE 2	OF 2	
		,					

IDENTIFICATION	ISOTONIZED	CALC.	SIG	TABLE	DEGREES OF
	MEAN	WILLIAMS	P=.05	WILLIAMS	FREEDOM
Neg control 3.8 6.4 11 18 29	551.667 553.833 553.833 554.889 554.889	0.692 0.692 1.029 1.029		1.78 1.87 1.90 1.92 1.93	k= 1, v=12 k= 2, v=12 k= 3, v=12 k= 4, v=12 k= 5, v=12

3.837

Note: df used for table values are approximate when v > 20.

0301G: 4775453 & P subcapitata 96-hr growth rate (mg/L)

Williams Test

[One-Sided Test for Decrease, alpha =

[OHE-PIGCG	Test for bed	crease, arpita -	0.030000]
Dose	Isotone	T-bar P-value	Significance

(-	Means		
0	554		
3.8	554	-0.8512	N.S.
6.4	554	-0.8512	N.S.
11	554	-0.8512	N.S.
18	554	-0.8512	N.S.

Page 26 of 30

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711

EPA MRID Number: 47560301

29 552 -0.2128 N.S.

"*"=Significant; "N.S."=Not Significant.

!!!Failure #3: Data not suitable for probit model fit.

Criterion is 3 or more distinct isotone means.

4775453 & P subcapitata 96-hr yield (mg/L) File: 0301y Transform: NO TRANSFORMATION

Chi-square test for normality: actual and expected frequencies

INTERVAL	<-1.5	-1.5 to <-0.5	-0.5 to 0.5	>0.5 to 1.5	>1.5
EXPECTED	1.206	4.356	6.876	4.356	1.206
OBSERVED	0	6	6	6	0

Calculated Chi-Square goodness of fit test statistic = 3.7645 Table Chi-Square value (alpha = 0.01) = 13.277

Data PASS normality test. Continue analysis.

4775453 & P subcapitata 96-hr yield (mg/L) File: 0301y Transform: NO TRANSFORMATION

Shapiro Wilks test for normality

D = 67492677097.313

W = 0.962

Critical W (P = 0.05) (n = 18) = 0.897 Critical W (P = 0.01) (n = 18) = 0.858

Data PASS normality test at P=0.01 level. Continue analysis.

4775453 & P subcapitata 96-hr yield (mg/L) File: 0301y Transform: NO TRANSFORMATION

Hartley test for homogeneity of variance

Calculated H statistic (max Var/min Var) = 84.05 Closest, conservative, Table H statistic = 1362.0 (alpha = 0.01)

Page 27 of 30

PMRA Submission Number: 2008-0431

EPA MRID Number: 47560301 PMRA Document ID: 1664711

R (# groups) = 6, df (# reps-1) = 2 R (# groups) = 6, df (# avg reps-1) = 2.00 Used for Table H ==> Actual values ==>

Data PASS homogeneity test. Continue analysis.

NOTE: This test requires equal replicate sizes. If they are unequal but do not differ greatly, the Hartley test may still be used as an approximate test (average df are used).

4775453 & P subcapitata 96-hr yield (mg/L) File: 0301y Transform: NO TRANSFORMATION

Bartletts test for homogeneity of variance

Calculated B statistic = 6.75
Table Chi-square value = 15.09 (alpha = 0.01)
Table Chi-square value = 11.07 (alpha = 0.05)

Average df used in calculation ==> df (avg n - 1) = 2.00 Used for Chi-square table value ==> df (#groups-1) = 5

Data PASS homogeneity test at 0.01 level. Continue analysis.

NOTE: If groups have unequal replicate sizes the average replicate size is used to calculate the B statistic (see above).

4775453 & P subcapitata 96-hr yield (mg/L) File: 0301y Transform: NO TRANSFORMATION

ANOVA TABLE

SOURCE	DF	SS	MS	F
Between	5	19223869085.281	3844773817.055	0.684
Within (Error)	12	67492677120.000	5624389760.000	· .
Total	17	86716546205.250		

Critical F value = 3.11 (0.05, 5, 12)Since F < Critical F FAIL TO REJECT Ho: All groups equal

4775453 & P subcapitata 96-hr yield (mg/L) File: 0301y Transform: NO TRANSFORMATION

Page 28 of 30

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

D	UNNETTS TEST -	Ho:Control <treatment< th=""></treatment<>			
GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT S	
1	Neg control	1990102.000	1990102.000		
2	3.8	2031542.333	2031542.333	-0.677	
3	6.4	2025928.333	2025928.333	-0.585	
4	11	2072289.333	2072289.333	-1.342	
5	18	2076625.333	2076625.333	-1.413	
6	29	2000304.333	2000304.333	-0.167	

Dunnett table value = 2.50 (1 Tailed Value, P=0.05, df=12,5)

4775453 & P subcapitata 96-hr yield (mg/L) File: 0301y Transform: NO TRANSFORMATION

	DUNNETTS TEST - :	TABLE 2 OF	2 Ho:	Control <t< th=""><th>reatment</th></t<>	reatment
GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	% of CONTROL	DIFFERENCE FROM CONTROL
1	Neg control	3			
2	3.8	3	153084.804	7.7	-41440.333
3	6.4	3	153084.804	7.7	-35826.333
4	11	3	153084.804	7.7	-82187.333
5	18	3	153084.804	7.7	-86523.333
6	29	3	153084 804	7 7	-10202 333

TATEL TAMES TOTAL	TT / Taotonia	roaroadion	mada1)	ו נדוכו לדוו	$^{\circ}$	~
MITTIPIANO IES	T (Isotonic	TEGLESSION	model 1	TABLE 1	OF.	1.

GROUP	IDENTIFICATION	N	ORIGINAL MEAN	TRANSFORMED MEAN	ISOTONIZED MEAN
1 2 3 4 5	Neg control 3.8 6.4 11 18 29	3 3 3 3	1990102.000 2031542.333 2025928.333 2072289.333 2076625.333 2000304.333	1990102.000 2031542.333 2025928.333 2072289.333 2076625.333 2000304.333	1990102.000 2028735.333 2028735.333 2049739.667 2049739.667 2049739.667

4775453 & P subcapitata 96-hr yield (mg/L) File: 0301y Transform: NO TRANSFORMATION

PMRA Submission Number: 2008-0431

PMRA Document ID: 1664711 EPA MRID Number: 47560301

WILLIAMS TEST	(Isotonic	regression	model)	TABLE 2)F 2
IDENTIFICATION	ISOTONIZED MEAN	CALC. WILLIAMS	SIG P=.05	TABLE WILLIAMS	DEGREES OF FREEDOM
Neg control1	990102.000				
3.82	028735.333	0.631		1.78	k=1, v=12
6.42	028735.333	0.631		1.87	k=2, $v=12$
112	049739.667	0.974		1.90	k=3, $v=12$
182	049739.667	0.974		1.92	k = 4, v = 12
292	049739.667	0.974		1.93	k=5, v=12

s = 74995.932

Note: df used for table values are approximate when v > 20.

0301Y : 4775453 & P subcapitata 96-hr yield (mg/L)

Williams Test

[One-Sided Test for Decrease, alpha = 0.050000]

Dose	Isotone Means	T-bar	P-value	Significance
0	2.04E+06			
3.8	2.04E+06	-0.8034	N.S.	
6.4	2.04E+06	-0.8034	N.S.	
11	2.04E+06	-0.8034	N.S.	
18	2.04E+06	-0.8034	N.S.	
29	2E+06	-0.1666	N.S.	

[&]quot;*"=Significant; "N.S."=Not Significant.

!!!Failure #3: Data not suitable for probit model fit.

Criterion is 3 or more distinct isotone means.